

INDEX MAPS.

T.11N, R.5E. 2nd Mer.

	82	82	82	81	81	81						
85	6	109	5	103	4	98	3	94	2	89	1	80
	109	108	102	98	93	89						
84	7	108	8	102	9	97	10	93	11	89	12	80
	108	107	101	97	92	88						
84	18	107	17	101	16	96	15	92	14	88	13	80
	106	106	100	96	92	87						
83	19	106	20	100	21	96	22	91	23	87	24	79
	105	105	100	95	91	87						
83	30	104	29	99	28	95	27	90	26	86	25	79
	104	103	99	94	90	86						
83	31	103	32	98	33	94	34	90	35	85	36	79
	78	78	78	77	77	77						

T.12N, R.5E. 2nd Mer.

	119		118		118		118		117		117	
121	6	145	5	138	4	134	3	129	2	125	1	116
	144		144		138		133		129		124	
120	7	143	8	137	9	133	10	128	11	124	12	116
	143		143		137		133		128		124	
120	18	142	17	137	16	132	15	128	14	123	13	116
	141		142		136		132		127		123	
120	19	141	20	136	21	131	22	127	23	123	24	115
	140		141		135		131		126		122	
119	30	140	29	135	28	131	27	126	26	122	25	115
	139		139		135		130		125		121	
119	31	139	32	134	33	130	34	125	35	121	36	115
	114		114		114		113		113		113	

The figures on the lines refer to the page.

77

Township N. 11. North, Range N. 5 East 2.nd Mer. Ind.^a

Township Lines.
South Boundary.

West on the S. Boundary of Sec. 36
15.47 an Elm 36 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 77° W 14 lks. dist. 8

a Do 14 " " " S 69° E 6 " "

48.42 a Poplar 48 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 21 in. dia. bears North 4 lks. dist. 8

a Do 10 " " " S 15° E 26 " "

Level 2nd rate land, timber Beech, Sugar, Ash,
Oak, Elm &c. Upr. Spruce

West on the S. Boundary of Sec. 35

40.00 set g. sec. post from which

a Sugar 18 in. dia. bears N 71° W 10 lks. dist. 8

an Elm 10 " " " S 78° E 35 " "

44.79 a Walnut 27 " "

80.00 set post cor. of sec. 34 & 35 from which

a Sugar 9 in. dia. bears N 46° W 9 lks. dist. 8

a Water Beech 7 " " " S 47° E 12 " "

Level 1st rate land, timber as before noted

West on the S. Boundary of Sec. 34

14.09 a Walnut 24 in. dia.

40.00 set g. sec. post from which

an Ash 10 in. dia. bears N 81° W 13 lks. dist. 8

a Sugar 9 " " " S 24° W 13 " "

47.52 a Do 16 " "

80.00 set post cor. of sec. 33 & 34 from which

a Hickory 4 in. dia. bears S 66° W 9 lks. dist. 8

a Hackberry 8 " " " N 73° E 24 " "

T. 11 N., R. 5 E., S. 1 Mer. Ind.^a

Level land, timber Sugar, Ash, Walnut,
Hickory & Upr. Spruce, soil good

West on the S. Boundary of Sec. 33

26.65 a Sugar 20 in. dia.

40.00 set g. sec. post from which

a Hackberry 6 in. dia. bears S 46 W 10 lbs. dist 8

a Do 12 " " " N 86 E 16 " "

43.52 a Do 30 " "

56.25 Low grounds

80.00 set post cor. of sec. 32 & 33 from which

a Water Beech 6 in. dia. bears N 33 E 6 lbs. dist 18

a Oak 36 " " " S 12 W 11 " "

Land timber the same as last noted

West on the S. Boundary of Sec. 32

10.00 East fork of White River running S.

27.20 a Sugar 21 in. dia.

40.00 set g. sec. post from which

a Sugar 14 in. dia. bears N 26 E 8 lbs. dist 8

a Beech 8 " " " S 25 E 18 " "

43.25 a Branch 15 lbs. wide course SE

63.45 a Ash 12 in. dia.

65.75 High land

80.00 set post cor. of sec. 31 & 32 from which

a Beech 5 in. dia. bears S 41 W 5 lbs. dist 18

a Do 5 " " " N 12 W 6 " "

1 $\frac{1}{2}$ mile rich land - 2 $\frac{1}{2}$ mile 2^d rate,

timber as last noted

West on the S. Boundary of Sec. 31

25.62 a Beech 18 in. dia.

40.00 set g. sec. post from which

T. M. N., R. 5 E. 2. Mer. Ind. 79

a Sugar 21 in. dia. bears N 45 W 6 lbs. dist. 8

an Ash 12 " " " S 36 E 24 " "

66.75 a Brook 20 lbs. wide course S W

77.65 Town corner

(Description of land & omitted)

East Boundary. Var. 6.00' E

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 32 E 36 lbs. dist. 8

an Ash 21 " " " N 22 W 30 " "

80.00 set post cor. of sec. 25 & 36 from which

a " 18 in. dia. bears N 27 E 15 lbs. dist. 8

a Do 12 " " " S 1 W 26 " "

Level brushy land, soil good

North on the E. Boundary of Sec. 25

24.60 an Elm 15 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 66 W 35 lbs. dist. 8

a Do 10 " " " N 87 E 16 " "

71.40 a Sugar 15 " "

80.00 set post cor. of sec. 24 & 25 from which

a Blue Ash 10 in. dia. bears N 10 E 12 lbs. dist. 8

an Elm 27 " " " S 19 E 20 " "

Level land, timber Elm, Sugar, Ash &c.

North on the E. Boundary of Sec. 24

21.48 a Sugar 15 in. dia.

40.00 set of sec. post from which

a Sugar 9 in. dia. bears S 47 W 15 lbs. dist. 8

a Beech 24 " " " N 86 E - " "

67.40 a Branch 8 lbs. wide course S W

T. 11 N., R. 5 E. 2. Mer. Ind. a

73.00 a Beech 27 in. dia.

80.00 set post cor. of sec. 13 & 24 from which
a Beech 9 in. dia. bears N 2 E 12 lbs. dist. 8
a Do 7 " " " S 17 W 13 " "
Level land, timber as last noted

North on the E. Boundary of Sec. 13

20.10 an Elm 15 in. dia.

40.00 set of sec. post from which
a Sugar 9 in. dia. bears S 46 W 12 lbs. dist. 8
a Do 8 " " " N 55 E 20 " "

67.80 a Do 18 " "

69.10 a Branch 4 lbs. wide course S W

80.00 set post cor. of sec. 12 & 13 from which
an Ash 18 in. dia. bears N 43 E 11 lbs. dist. 8
a Sugar 30 " " " S 24 W 18 " "
Land & timber the same as last noted

North on the E. Boundary of Sec. 12

40.00 set of sec. post from which

a Blue Ash 9 in. dia. bears S 55 W 10 lbs. dist. 8
a Do 7 " " " N 60 E 15 " "

77.60 a W. Walnut 15 " "

80.00 set post cor. of sec. 10 & 12 from which
a Buckeye 9 in. dia. bears N 39 E 18 lbs. dist. 8
a Sycamore 30 " " " S 72 W 27 " "
Level land, timber Elm, Ash, Walnut &
Upr. Spruce, Ash & Soil good

North on the E. Boundary of Sec. 1

13.00 East fork of White River 200 lbs. wide course S W

24.90 a Mulberry 10 in. dia.

40.00 set of sec. post from which

T. 11 N., R. 5 E. 2d Mer. Ind. a

an Ash 8 in. dia. bears N 47 E 14 lbs. dist. 18

an Elm 12 " " " S 52 W 39 " "

80.00 set post cor. of Sec. 34 & 35, T. 12 N., R. 5 E. from which

a Beech 9 in. dia. bears West 30 lbs. dist. 18

a Spr 8 " " " N 38 E 11 " "

Level bottom timbered with Hackberry,
Sycamore & Upr. Spice, Vines &c.

North Boundary. Var. 7.15' E

West on the S. Boundary of Sec. 36, T. 12 N., R. 5 E

40.00 set of sec. post from which

a R. Oak 24 in. dia. bears N 40 W 27 lbs. dist. 8

a Hickory 10 " " " S 44 E 12 " "

80.00 set post cor. of sec. 35 & 36 from which

a W. Oak 21 in. dia. bears N 42 W 20 lbs. dist. 8

a Beech 8 " " " S 54 E 18 " "

Level land, timbered Beech, Oak, Elm & Upr.
Spice, Green Briers &c.

West on the S. Boundary of Sec. 35, T. 12 N., R. 5 E

25.15 a W. Oak 30 in. dia.

40.00 set of sec. post from which

a Hickory 7 in. dia. bears S 65 W 8 lbs. dist. 8

a Dogwood 6 " " " N 46 E 14 " "

65.75 a Hickory 18 " "

80.00 set post cor. of sec. 34 & 35 from which

a Hickory 20 in. dia. bears S 73 W 13 lbs. dist. 8

a Dogwood 6 " " " N 58 E 28 " "

Land, timber &c. as last noted

West on the S. Boundary of Sec. 34, T. 12 N., R. 5 E

40.00 set of sec. post from which

a Hickory 15 in. dia. bears N 45 W 6 lbs. dist. 18

T. 11 N., R. 5 E. 2. Mer. Ind.^a

an Elm 9 in. diameter S 49 E 11 lbs. dist.

76.00 a B. Oak 27 , ,

80.00 set post cor. of sec. 33 & 34 from which

a W. Oak 9 in. diameter S 83 E 19 lbs. dist. &

a Swp. Ash 15 , , , N 20 E 4 , ,

Level wet land, timbered Oak, Ash, Gum &

Upr. Spice &

West on the S. Boundary of Sec. 33, T 12 N, R 5 E

40.00 set of sec. post from which

a Blue Ash 10 in. diameter N 5 E 13 lbs. dist. &

a Hickory 12 , , , S 25 W 13 , ,

51.50 a Creek 150 lbs. wide course S W

77.20 a Beech 9 in. dia.

80.00 set post cor. of sec. 32 & 33 from which

an Ash 6 in. diameter S 60 E 7 lbs. dist. &

a Beech 21 , , , N 35 W 11 , ,

Level land, timbered Oak, Hackberry & Upr.

Spice, soil good

West on the S. Boundary of Sec. 32, T 12 N, R 5 E

39.60 a Creek 40 lbs. wide course S E

40.00 set of sec. post from which

a Sugar 21 in. diameter S 10 E 27 lbs. dist. &

an Ironwood 6 , , , N 12 E 19 , ,

65.45 a Sugar 12 , ,

80.00 set post cor. of sec. 31 & 32 from which

a Beech 20 in. diameter N 50 W 13 lbs. dist. &

a Do 7 , , , S 43 E 74 , ,

Rolling land, timbered Beech, Sugar & Upr. Spice

West on the S. Boundary of Sec. 31, T 12 N, R 5 E

22.46 a Creek 100 lbs. wide course S E

T. 11 N., R. 5 E. 2. Mer. Ind.^a

83

- 40.00 set of sec. post from which
an Ash 4 in. dis. bears N 49 E 10 lbs. dist. 3
a Sycamore 10 " " " S 29 W 61 " "
- 57.30 a Creek 150 lbs. wide course NE
- 76.00 set post cor. of T. 11 & 12 N., R. 4 & 5 E. from which
a Spanish Oak 40 in. dis. bears N 48 W 6 lbs. dist.
a Buckeye 9 " " " S 67 E 29 " "
(Description of land &c. omitted.)

- West Boundary, Var. 5.50. E
North on the E. Boundary of Sec. 36, T. 11 N., R. 4 E
- 18.85 a Beech 12 in. dis.
- 40.00 set of sec. post from which
a Sugar 12 in. dis. bears N 62 W 3 lbs. dist. 7
a Beech 5 " " " N 75 E 11 " "
- 58.65 a Do 17 " "
- 80.00 set post cor. of sec. 25 & 36 from which
a Beech 10 in. dis. bears S 25 W 24 lbs. dist. 8
a Do 18 " " " N 42 E 24 " "
Over good farming land

- North on the E. Boundary of Sec. 25, T. 11 N., R. 4 E
- 12.06 a Hickory 15 in. dis.
- 40.00 set of sec. post from which
a Sugar 6 in. dis. bears S 62 E 6 lbs. dist. 8
a Water Beech 6 " " " N 39 W 26 " "
- 47.95 a Blue Ash 9 " "
- 80.00 set post cor. of sec. 24 & 25 from which
an Ash 20 in. dis. bears S 8 E 7 lbs. dist. 8
a Hickory 9 " " " N 24 W 36 " "
Over good farming land

North on the E. Boundary of Sec. 24, T. 11 N., R. 4 E

T. 11 N., R. 5 E. 2. Mer. Ind. a

31.00 a Beech 20 in. dia.

40.00 set of sec. post from which

a Beech 7 in. dia. bears N 11 E 13 lbs. dist. 8

a Dogwood 9 " " " S 9 W 18 " "

47.40 a Poplar 30 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 19 in. dia. bears N 61 E 4 lbs. dist. 8

a Spruce 21 " " " S 65 W 25 " "

Over good farming land

North on the E. Boundary of Sec. 13, T. 11 N., R. 4 E

1.50 a Branch 8 lbs. wide corner S E

8.10 a Beech 20 in. dia.

40.00 set of sec. post from which

a Sugar 10 in. dia. bears S 55 E 11 lbs. dist. 8

an Elm 6 " " " S 86 W 39 " "

55.15 a W. Oak 18 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 15 in. dia. bears S 87 W 15 lbs. dist. 8

a Spruce 4 " " " S 66 E 17 " "

Over good farming land

North on the E. Boundary of Sec. 12, T. 11 N., R. 4 E.

27.40 a Sugar 9 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 58 W 11 lbs. dist. 8

a Hickory 21 " " " S 58 E 2 " "

54.75 a Beech 18 " "

80.00 set post cor. of sec. 1 & 12 from which

a Sugar 8 in. dia. bears N 73 W 12 lbs. dist. 8

a Spruce 15 " " " S 66 E 20 " "

Over good farming land

T. 11 N., R. 5 E. 2^d Mer. Ind.^a

North on the E. Boundary of Sec. 1, T. 11 N., R. 4 E
20.80 a W. Oak 15 in. dia.

40.00 set g. sec. post from which
a Beech 6 in. dia. bears N 71° W 9 ch. dist. 8
a Water Beech 6 " " S 83° E 11 " "

71.50 a Creek 70 ch. wide course E

78.95 set post cor. of T. 11 & 12 N., R. 4 & 5 E. from which
a R. Oak 48 in. dia. bears N 37° W 7 ch. dist. 8

a Buckeye 9 " " S 70° E 29 " "

Rich land, Poplar, Walnut &c.

Surveyed in 1819 by

John M. Donald

Dep. Surveyor.

Subdivision. Var. 6th 00th E.

I have found in the commencement of the survey of this Township, in intersecting the East Boundary, two lines. The first I intersected on my first Random at ^{Ch. 3 1/2} 78.50, the numbers cut out, and ^{Ch. 3 1/2} 4.10 farther I intersected a line with posts and numbers, supposed to be the true line.

In the same manner I found the Township West of this.

The first mile from the beginning corner E. to the SE. corner of the Township I measured and found its length to be 1.45 more than a mile, the mile West was 1.58 measured by Robeson

North between Sec. 35 & 36, T. 11 N., R. 5 E

18.26 a Poplar 4 in. dia.

40.00 set g. sec. post from which

a Gum 24 in. dia. bears N 87° W 23 ch. dist. 8

T. H. N., R. 5 E. 2. Mer. Ind. a.

a Gum 30 in. diameter N 38 E 15 lbs. dist.
 63.29 a B. Oak 48 " "
 80.00 set port cor. of sec. 25, 26, 35 & 36 from which
 a Beech 10 in. diameter S 59 E 24 lbs. dist. &
 a Do 14 " " " S 73 W 25 " "
 Land level 2. rate, timber Ash, Beech, & Poplar;
 Spice Upr.

East on Random between Sec. 25 & 36
 40.00 set temp. g. sec. port
 82.00 Intersect E. Boundary 30 lbs. E. of port -
 Land level, timber Ash, Beech, Poplar &
 Upr. Spice &

West Connected between Sec. 25 & 36
 6.14 a Beech 14 in. dia.
 41.30 set g. sec. port at aver. dist. from which
 a Beech 9 in. diameter S 40 E 15 lbs. dist. &
 a Do 18 " " " N 32 W 10 " "
 43.50 an Elm 20 " "
 82.00 to sec. cor.

North between Sec. 25 & 26
 20.17 a Beech 30 in. dia.
 40.00 set g. sec. port from which
 a Hickory 5 in. diameter N 78 E 25 lbs. dist. &
 a Do 10 " " " S 71 W 26 " "
 65.11 an Ash 18 " "
 80.00 set port cor. of sec. 23, 24, 25 & 26 from which
 a Sugar 10 in. diameter S 16 W 18 lbs. dist. &
 a Hackberry 20 " " " N 27 E 27 " "
 Land level, timber Ash, Poplar, Beech &
 Upr. Spice &

T. 11 N., R. 5 E. 2^d. Mer. Ind.^a

East on Random between Sec. 24 & 25

10.00 a Brook 8th. wide course N⁹W40.00 set temp. g^r. sec. port81.79 Intersect E. Boundary 37th. S. of port -Land level 2^d. rate; timber Walnut, Poplar, Beech
& Upr. Spice &c.

West Connected between Sec. 24 & 25

25.79 a Beech 18 in. dia.

40.89 set g^r. sec. ^{port} at aver. dist. from whicha Beech 12 in. dia bears N 55° W 17th. dist. 8

an Oak 24 " " " S 14° E 20 " "

81.79 to sec. cor.

North between Sec. 23 & 24

1.50 a Brook 10th. wide course S⁹W

11.35 a Beech 12 in. dia.

40.00 set g^r. sec. port from whicha Hickory 18 in. dia bears S 22° E 17th. dist. 8

a Water Beech 4 " " " N 56° W 17 " "

55.27 a Walnut 15 " "

80.00 set port cor. of Sec. 13, 14, 23 & 24 from which

a Hickory 18 in. dia bears S 75° E 31th. dist. 8

a Sugar 16 " " " S 75° W 29 " "

Land level 2^d. rate; timber Sugar, Walnut,
Hickory; Spice & Hawthorn Upr.

East on Random between Sec. 13 & 24

52.50 a Brook 10th. wide course N⁹E40.00 set temp. g^r. sec. port

83.30 Intersect E. Boundary at port -

This mile level 2^d. rate land, timber Beech, Sugar
& Walnut; Upr. Spice &c.

T. M. N., R. 5 E. 2. Mer. Ind.^a

West Connected between Sec. 13 & 24

41.65 set g. sec. port at aver. dist. from which
 a Sugar 10 in. dia. bears N 35 W 23 Ch. dist. .8
 a Do 14 " " " S 37 E 15 " "

83.30 to sec. cor.

North between Sec. 13 & 14

13.50 a Sugar 13 in. dia.

20.00 a Stream 150 Ch. wide course W

40.00 set g. sec. port from which

a Walnut 5 in. dia. bears S 59 W 16 Ch. dist. .8
 a Hackberry 24 " " " S 62 E 15 " "

50.00 a Walnut 20 " "

80.00 set port cor. of sec. 11, 12, 13 & 14 from which

a Water Beech 4 in. dia. bears N 89 W 9 Ch. dist. .8

a Hickory 5 " " " S 77 E 8 " "

Land level 2. rate, timber Ash, Hackberry & Sugar
 Upr. Spice &c.

East on Random between Sec. 12 & 13

38.50 a Stream 200 Ch. wide course S

40.00 set temp. g. sec. port

84.50 Intersect E. Boundary at port -

Last 1/2 mile 1. rate, 1 1/2 mile 2. rate, timber
 Walnut, Sugar, Ash &c. Upr. Spice

West Connected between Sec. 12 & 13

24.50 a Blue Ash 20 in. dia.

42.25 set g. sec. ^{port} at aver. dist. from which

a Hackberry 5 in. dia. bears S 29 E 10 Ch. dist. .8

a Blue Ash 10 " " " N 32 W 31 " "

84.50 to sec. cor.

T. H. N., R. 5 E. 2. Mer. Ind.^a

North between Sec. 11 & 12

- 8.00 a Sugar 30 in. dia.
 40.00 set g. sec. port from which
 a Poplar 30 in. dia. bears N 88 E 35 lbs. dist. 8
 an Ash 10 " " " N 75 W 29 " "
 51.29 a Hickory 20 " "
 80.00 set port cor. of sec. 1, 2, 11 & 12 from which
 a Hickory 18 in. dia. bears S 89 E 11 lbs. dist. 8
 an Elm 5 " " " S 42 W 16 " "
 Land level 2. rate, timber Oak, Ash, Hickory &c
 Wpr. Spice &c
-

East on Random between Sec. 1 & 12

- 81.00 a Stream 175 lbs. wide course S
 84.32 Intersect E. Boundary 42 lbs. S. of port -
 Land level 2. rate, timber Ash, Sugar & Oak
 Wpr. Spice &c
-

West Connected between Sec. 1 & 12

- 42.16 set g. sec. port at aver. dist. from which
 an Elm 36 in. dia. bears N 8 E 24 lbs. dist. 8
 a Water Beech 6 " " " S 87 W 28 " "
 54.56 a Sugar 20 " "
 84.32 to sec. cor.
-

North between Sec. 1 & 2

- 22.00 a B. Oak 30 in. dia.
 40.00 set g. sec. port from which
 a Beech 16 in. dia. bears N 54 E 21 lbs. dist. 8
 a Do 8 " " " S 66 W 25 " "
 55.64 a Do 20 " "
 85.36 Intersect N. Boundary 760 lbs. N. of port -
 from which a B. Ash 8 in. dia. bears S 15 E 30 lbs. dist. 18

T.M.N., R.5 E.2. Mer. Ind.^a

a B. Ash 7 in. dis. bears N10 W 14 lbs. dirt.

Land level 3^d rate, timber Beech, W. Oak, Ash,
Hickory & Upr. Spice & Hazel

North between Sec. 34 & 35

12.76 a Cherry 10 in. dis.

40.00 set g. sec. port from which

a Sugar 18 in. dis. bears S56 E 24 lbs. dirt &

an Ash 4 " " N32 W 20 " "

54.34 a Sugar 16 " "

80.00 set port cor. of sec. 26, 27, 34 & 35 from which

a Walnut 20 in. dis. bears S30 E 26 lbs. dirt &

a Do 20 " " N37 W 3 " "

Land level 1st rate, timber Sugar, Walnut, Hickory,
Hackberry, Ash; Upr. Spice, Hickory, Ash, Hawth.

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. port

84.09 Intersect N. & S. line 10 lbs. N. of port -

Land 1st rate, timber 1st 1/2 mile Sugar, Walnut,
Ash, Hackberry - last 1/2 mile Walnut, Sugar,
Beech, Poplar; Upr. Spice &

West Connected between Sec. 26 & 35

8.30 a Beech 20 in. dis.

42.04 set g. sec. port at aver. dirt. from which

an Ash 3 in. dis. bears N47 E 8 lbs. dirt &

a Redbud 6 " " S37 W 12 " "

68.15 a Sugar 18 " "

84.09 to sec. cor.

North between Sec. 26 & 27

18.28 an Elm 12 in. dis.

T. 11 N., R. 5 E. 2. Mer. Ind. a

- 40.00 set g. sec. port from which
 a Hickory 8 in. dia. bears N 79 E 5 lbs. dist. 8
 a Do 12 " " " N 31 W 10 " "
- 59.50 a Gray Ash 12 in. dia.
- 80.00 set port cor. of Sect. 22, 23, 26 & 27 from which
 an Ash 30 in. dia. bears N 30 E 20 lbs. dist. 8
 a R. Hawk 8 " " " S 79 W 20 " "
 Land level 2nd rate, timber Ash, Oak, Hackberry
 Wpr., Waterbeech, Ash, Spice &c.

East in Random between Sect. 23 & 26

- 40.00 set temp. g. sec. port
- 85.45 Intersect N & S. line 69 lbs. S. of port -
 Land level 1st rate, timber Sugar, Ash, Hack-
 berry, Walnut - Wpr. Spice

West Corrected between Sect. 23 & 26

- 6.71 an Elm 18 in. dia.
- 42.72 1/2 set g. sec. port at aver. dist. from which
 a Sugar 6 in. dia. bears N 37 E 12 lbs. dist. 8
 a Do 6 " " " S 30 E 6 " "
- 64.49 a Blue Ash 12 in. dia.
- 85.45 to sec. cor.

North between Sect. 22 & 23

- 9.36 a Stream 100 lbs. wide course NW
- 19.50 a Hackberry 20 in. dia.
- 40.00 set g. sec. port from which
 a Sugar 20 in. dia. bears S 59 1/2 E 18 lbs. dist. 8
 a W. Oak 20 " " " N 41 W 36 " "
- 57.27 a Buckeye 18 " "
- 80.00 set port cor. of Sect. 14, 15, 22 & 23 from which
 a Hickory 8 in. dia. bears N 27 W 9 lbs. dist. 8

T. H. N., R. 5 E. 2. Mer. Ind.^a

a Hickory 6 in. dia. bears S 70 E 18 lbs. dist.
 Land level 2^d rate, timber T. 1/2 mile Walnut,
 Hackberry & Sycamore - last 1/2 mile Hickory,
 Buckeye; Upr. Spruce, Hazel

East on Random between Sec. 14 & 23

29.00 a Bayou 40 lbs. wide

34.00 a Stream 170 lbs. wide course S W

84.97 Entered N. S. line 159 lbs. S. of port -

Land level 2^d rate, timber Sugar, Walnut, Buckeye,
 Sycamore; Upr. Spruce, Hazel, Water Beech &c.

West Connected between Sec. 14 & 23

10.94 a Sugar 12 in. dia.

42.48 set g. sec. port at over. dist. from which

a Hickory 4 in. dia. bears S 73 W 5 lbs. dist. &

a Hackberry 5 " " " N 67 E 13 " "

84.97 to sec. cor.

North between Sec. 14 & 15

31.93 a W. Oak 24 in. dia.

40.00 set g. sec. port from which

a W. Oak 16 in. dia. bears N 60 E 19 lbs. dist. &

a Do 16 " " " S 60 W 14 " "

47.32 a Do 14 " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which

a Hickory 20 in. dia. bears S 65 E 21 lbs. dist. &

a W. Oak 6 " " " N 3 1/2 W 30 " "

Land level 2^d rate, timber Oak, Hickory, Sugar,

Walnut; Upr. Pickety Ash, Hazel, Water Beech &c.

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. port

T.M.N., R.5 E.2. Mer. Ind.^a

83.27 Intersect N 5. line 45 Ms. S. of port -

Sand level 2^d rate, timber Oak, Sugar, Walnut,
Upr. Hazle, Spice &c.

West Connected between Sec. 10 & 11

7.39 a Buckeye 12 in. dia.

41.63 set g. sec. port at aver. dist. from which

a W. Oak 12 in. dia. bears S 57° W 10 Ms. dist. 8

a Gray Ash 10 " " " S 35° E 15 " "

69.42 a W. Oak 20 " "

83.27 to sec. cor. September 25. 1819

North between Sec. 10 & 11

25.75 a Walnut 18 in. dia.

40.00 set g. sec. port from which

a Hackberry 12 in. dia. bears N 57½° W 30 Ms. dist. 8

a Dr 18 " " " S 17° E 22 " "

52.93 a Jack Oak 18 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a R. Elm 12 in. dia. bears S 48° E 14 Ms. dist. 8

a Hickory 6 " " " N 10½° W 18 " "

Sand level 2^d rate, timber W. Oak, Walnut,
Sugar, Hickory; Upr. Hazle, Haw, Spice &c.

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. port

82.48 Intersect N 5. line 13 Ms. N. of port -

Sand level 2^d rate, timber Oak, Hickory, Walnut
Upr. Hazle &c.

West Connected between Sec. 2 & 11

5.60 a Hickory 14 in. dia.

41.24 set g. sec. port at aver. dist. from which

T.M.N., R. 5 E. 2. Mer. Ind.^a

a R. Elm 10 in. dia. bears N 85 E 34 lbs. dist. 8
 a Water Birch 7 " " " N 84 W 35 " "
 67.36 a Black Jack 20 in. dia.
 82.48 to sec. cor.

North between Sec. 2 & 3

13.80 a B. Walnut 30 in. dia.
 40.00 set g. sec. post from which
 an Elm 6 in. dia. bears N 7 1/2 W 21 lbs. dist. 8
 a Hickory 20 " " " S 54 E 23 " "
 50.18 a Do 30 " "
 84.84 Intersect N. Boundary 7 Ch. N. of post -
 set post at intersection cor. of sec. 2 & 3 from which
 a Gray Ash 4 in. dia. bears N 65 W 15 lbs. dist. 8
 a Dogwood 6 " " " S 30 E 15 " "
 Land level 2^d rate, timber Ash, Oak, Hickory;
 Upr. Maple, Spice &c.

North between Sec. 33 & 34

3.50 a Hickory 20 in. dia.
 40.00 set g. sec. post from which
 a Sugar 4 in. dia. bears S 65 E 17 lbs. dist. 8
 a Do 5 " " " S 54 W 24 " "
 48.15 an Oak 30 " "
 59.00 a Stream 150 lbs. wide course S W
 80.00 set post cor. of sec. 33 & 34, 27 & 28 from which
 an Elm 5 in. dia. bears N 28 E 10 lbs. dist. 8
 a Do 10 " " " S 29 W 5 " "
 Land level 2^d rate, timber Ash, Sugar,
 Walnut; Upr. Spice &c.

East on Random between Sec. 27 & 34

11.00 a Stream 200 lbs. wide course S W

T. H. N., R. 5 E. 2. Mer. Ind. a

40.00 set temp. g. sec. port

79.61 Intersect N. S. line at port -

Land level, timber Ash, Sugar & B. Walnut;
Upr. Spice, Hawth.

West Connected between Sec. 27 & 34

39.80 set g. sec. port at aver. dist. from which
a Hackberry 15 in. dia. bears S 72 E 20 lbs. dist. 8
a Sugar 4 " " " N 55 W 8 " "

79.61 to sec. cor.

North between Sec. 27 & 28

10.50 a Sycamore 36 in. dia.

40.00 set g. sec. port from which

an Ash 14 in. dia. bears N 36 W 36 lbs. dist. 8
a Buckeye 8 " " " S 41 E 13 " "

61.84 a Sugar 15 " "

80.00 set port cor. of Sec. 21, 22, 27 & 28 from which
a Walnut 25 in. dia. bears N 86 E 36 lbs. dist. 8
a Sugar 10 " " " S 89 W 29 " "

This mile land level Irate, timber Sugar,
Walnut, Oak & Upr. Spice &c.

East on Randon between Sec. 22 & 27

33.00 a Stream 2⁰⁰ lbs. wide course S.

40.00 set temp. g. sec. port

79.08 Intersect N. S. line 120 lbs. N. of port -

Land level Irate, timber Ash, Hackberry,
Hackberry &c. Upr. Spice

West Connected between Sec. 22 & 27

6.64 a Buckeye 14 in. dia.

39.54 set g. sec. port at aver. dist. from which

T.M.N., R. 5 E. 2^d Mer. Ind^a.

an Oak 48 in. dia. bears S 32° W 17 lbs. dist. 8
 a Hickory 15 " " " N 5° W 12 " "
 43.46 a Willow 12 " "
 79.08 to sec. cor.

North between Sec. 21 & 22

3.00 an Ash 36 in. dia.
 40.00 set g. sec. port from which
 an Oak 30 in. dia. bears S 88° E 18 lbs. dist. 8
 a Beech 14 " " " N 77° W 13 " "
 49.17 a Do 30 " "
 80.00 set port cor. of sec. 15, 16, 21 & 22 from which
 a Dogwood 4 in. dia. bears N 59° E 23 lbs. dist. 8
 a Hickory 14 " " " S 47° W 11 " "
 Land level 2^d rate, timber Beech, Hickory,
 Oak & Spice Upr.

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. port
 80.00 Intersect N & S line 140 lbs. N. of port—
 Land level 2^d rate, timber Oak, Beech, Ash &
 Upr. Spice &

West Connected between Sec. 15 & 22

5.06 a Locust 18 in. dia.
 40.00 set g. sec. port at aver. dist. from which
 a Beech 18 in. dia. bears S 40° W 15 lbs. dist. 8
 an Oak 20 " " " S 87° E 5 " "
 46.50 a Do 20 " "
 80.00 to sec. cor.

North between Sec. 15 & 16

27.58 a W. Oak 36 in. dia.

T. 11 N., R. 5 E. 2d Mer. Ind.^a

40.00 set g. sec. post from which
 a W. Oak 20 in. dia. bears N 85 E 45 lbs. dist. 8
 a Do 7 " " " N 77 W 20 " "
 59.50 a Do 18 " "
 80.00 set post cor. of sec. 9, 10, 15 & 16 from which
 an Ash 10 in. dia. bears N 77 E 44 lbs. dist. 8
 an Oak 15 " " " S 55 W 5 " "
 Land level 2^d rate, timber Oak, Hickory,
 Beech & Upr. Spruce &

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post
 82.75 Intersect N & S. line 142 lbs. N. of post -
 Land level, timber Oak, Walnut, Hackberry
 & Upr. Spruce &

West Connected between Sec. 10 & 15

6.24 a Hickory 20 in. dia.
 41.37 set g. sec. post at aver. dist. from which
 an Oak 30 in. dia. bears S 45 E 25 lbs. dist. 8
 a Do 40 " " " N 12 W 39 " "
 57.25 a Do 40 " "
 82.75 to sec. cor.

North between Sec. 9 & 10

28.83 a Hickory 9 in. dia.
 40.00 set g. sec. post from which
 an Oak 30 in. dia. bears S 45 W 34 lbs. dist. 8
 a Sugar 10 " " " N 65 E 39 " "
 69.40 a Beech 20 " "
 80.00 set post cor. of sec. 3 & 4, 9 & 10 from which
 an Oak 30 in. dia. bears N 33 E 14 lbs. dist. 8
 a Beech 10 " " " S 36 W 49 " "

T.M.N., R. 5 E. 2. Mer. Ind.^a

Land level 3^d rate, timber Beech, Oak, Hickory
& Wgs. Hazel &c.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

81.46 Intercept N & S. line 1760 yds. S. of post -

Land level 3^d rate, timber Oak, Hickory &c.
Wgs. Spruce & Hazel

West Computed between Sec. 3 & 10

3.30 an Oak 20 in. dia.

40.73 set g. sec. post at aver. dist. from which

a B. Oak 20 in. dia. bears S 40 E 37 yds. dist. 8

a W. Oak 14 " " " N 43 W 35 " "

46.96 a R. Oak 24 " "

81.46 to Sec. cor.

North between Sec. 3 & 4

12.58 a Maple 18 in. dia.

40.00 set g. sec. post from which

a Hickory 8 in. dia. bears N 77 E 36 yds. dist. 8

an Elm 12 " " " S 80 W 54 " "

48.78 a Hickory 30 " "

70.00 enter Swamp

82.00 leave "

85.00 Intercept N. Boundary 750 yds. N. of post -

set post at intersection cor. of Sec. 3 & 4 from which

an Oak 20 in. dia. bears N 18 W 24 yds. dist. 8

an Ash 18 " " " S 36 E 12 " "

Land level 3^d rate, timber Oak, Beech & Hickory;
Wgs. Hazel &c.

North between Sec. 32 & 33

T.M.N., R. 5 E. 2. Mer. Ind.^a

- 6.00 a Stream 250 yds. wide course W
 25.00 a Do 150 " " " E
 37.19 a Blue Ash 26 in. dia.
 40.00 set g'sec. post from which
 a Buckeye 10 in. dia. bears S 30 E 25 yds. dist. 8
 a Blue Ash 30 " " " N 59 W 20 " "
 76.75 a Beech 18 " "
 80.00 set post cor. of sec. 28, 29, 32 & 33 from which
 an Oak 8 in. dia. bears S 85 E 9 yds. dist. 8
 a Sugar 7 " " " N 77 W 19 " "
 Land level 2nd rate, timbered Ash, Beech, Sugar &
 Spice & Vlyr. September 27. 1819
-

East on Random between Sec. 28 & 33

- 40.00 set temp. g'sec. post
 81.95 Intersect N & S. line 102 yds. N. of post -
 Land level 2nd rate, timbered Ash, Sugar, Hackberry
 & Vlyr. Spice & Water Beech
-

West Connected between Sec. 28 & 33

- 9.50 a Hickory 18 in. dia.
 40.97 set g'sec. post at aver. dist. from which
 an Ironwood 3 in. dia. bears N 43 W 12 yds. dist. 8
 a W. Oak 4 " " " S 37 W 18 " "
 71.95 a Do 20 " "
 81.95 to sec. cor.
-

North between Sec. 28 & 29

- 27.25 an Oak 20 in. dia.
 40.00 set g'sec. post from which
 a Hickory 26 in. dia. bears N 82 E 45 yds. dist. 8
 a W. Oak 10 " " " S 75 W 14 " "
 51.37 a Beech 18 " "

T. H. N., R. 5 E. 2. Mer. Ind.^a

80.00 set post cen. of sec. 20, 21, 28 & 29 from which
 a Beech 16 in. dia. bears S 53 E 22 lb. dist. 18
 an Elm 5 " " " S 31 W 24 " "
 Sand level 2nd rate, timber Beech, Oak & Hickory,
 Upr. Spice &c.

East on Random between Sec. 21 & 28

40.00 set temp. of sec. post

81.80 Intersect N & S. line 63 lb. E. of post -

Sand level 2nd rate, timber Ash, Beech, Oak &c.
 Upr. Spice &c.

West Corrected between Sec. 21 & 28

16.15 a Beech 20 in. dia.

40.90 set g. sec. post at aver. dist. from which

an Ash 5 in. dia. bears S 7 W 28 lb. dist. 8

a Spr 10 " " " N 7 W 36 " "

64.80 a W. Oak 20 " "

81.80 to sec. cor.

North between Sec. 20 & 21

12.40 a W. Oak 18 in. dia.

40.00 set g. sec. post from which

a Beech 20 in. dia. bears S 61 W 44 lb. dist. 8

a Hickory 20 " " " N 66 E 24 " "

69.40 an Elm 30 " "

80.00 set post cen. of sec. 16, 17, 20 & 21 from which

a Beech 14 in. dia. bears N 66 E 19 lb. dist. 8

a Spr 12 " " " S 86 W 11 " "

Sand level - 1st 1/2 mile 2nd rate - 2nd 1/2 mile 3rd rate -
 timber Ash, Oak, Beech &c. Upr. Spice &c.

East on Random between Sec. 16 & 21

T. M. N., R. 5 E. 2. Mer. Ind.^a

40.00 set temp. g. sec. port

80.70 Intersect N & S. line 10 lbs. N. of port -

Land level 3^d rate, timber Oak, Hickory, Beech
V. Uly. Hazel &c.

West Connected between Sect. 16 & 21

3.73 a Hickory 12 in. dia.

40.35 set g. sec. port at aver. dist. from which

a Dogwood 4 in. diameter N 9° W 10 lbs. dist. 8

a Sugar 14 " " " S 10° E 20 " "

80.70 to sec. cor. September 28. 1819

North between Sect. 16 & 17

11.50 an Oak 26

40.00 set g. sec. port from which

a Gum 20 in. diameter N 44° E 18 lbs. dist. 8

a Hickory 4 " " " S 31° W 17 " "

66.50 an Oak 32 " "

80.00 set port cor. of sect. 8, 9, 16 & 17 from which

a Sugar 6 in. diameter N 69° E 13 lbs. dist. 8

an Ironw. 7 " " " S 70° W 34 " "

Land level 3^d rate, timber Oak, Beech & Hick-
ory; Uly. Spice &c.

East on Random between Sect. 9 & 16

25.00 enter Swamp

34.50 leave "

40.00 set temp. g. sec. port

79.40 Intersect N & S. line 150 lbs. S. of port -

Land level 3^d rate, timber Oak, Hickory &c.
Uly. Spices Hazel &c.

West Connected between Sect. 9 & 16

T. M. N., R. 5 E. 2^d Mer. Ind. a

11.49 a W. Oak 18 in. dia.

39.70 set g. sec. post at aver. dist. from which
an Oak 24 in. dia. bears N 36 W 25 lbs. dist. 18
a Do 18 " " " S 5 E 19 " "

73.90 an Elm 15 " "

79.40 to sec. cor.

North between Sec. 8 & 9

8.00 a Sycamore 30 in. dia.

23.00 a Stream 130 lbs. wide course S W

40.00 set g. sec. post from which
a Water Beech 5 in. dia. bears N 48 E 24 lbs. dist. 18
a Do 4 " " " S 80 W 13 " "

53.66 a Hackberry 30 " "

80.00 set post cor. of sec. 4, 5, 8 & 9 from which
a Gum 20 in. dia. bears S 70 W 16 lbs. dist. 18
a Poplar 60 " " " N 49 E 12 " "
Land level 2^d rate, timber Ash, Poplar, Beech
Upr. Spice &c.

East on Ransom between Sec. 4 & 9

40.00 set temp. g. sec. post

55.00 a Stream 150 lbs. wide course S E

80.00 Intersect N & S. line 48 lbs. S. of post -
Land level 3^d rate, timber Beech, Oak & Hickory
Upr. Spice &c.

West Connected between Sec. 4 & 9

4.40 a R. Oak 30 in. dia.

40.00 set g. sec. post at aver. dist. from which
an Elm 30 in. dia. bears S 13 E 7 lbs. dist. 18
a Buckeye 10 " " " N 44 W 10 " "
61.50 a Poplar 5 " "

T. 11 N., R. 5 E. 2^d Mer. Ind.^a

80.00 to sec. cor.

North between Sec. 4 & 5

7.50 a Beech 24 in. dia.

40.00 set g. sec. post from which

a Sugar 10 in. dia. bears S 66 E 14 lbs. dist. 8

a Beech 20 " " " N 52 W 15 " "

84.75 Intersect N. Boundary 990 lbs. W. of post -

set post at intersection cor. of sec. 4 & 5 from which

a Sugar 15 in. dia. bears North 20 lbs. dist. 8

a Beech 26 " " " S 61 W 11 " "

Land level Prato, timber Ash, Beech, Oak,
& Upr. Spruce.

North between Sec. 31 & 32

19.29 a Sugar 22 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia. bears S 19 W 30 lbs. dist. 8

a Do 6 " " " N 56 E 13 " "

49.57 a Poplar 48 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a R. Oak 24 in. dia. bears N 5 E 10 lbs. dist. 8

a Sugar 6 " " " S 24 W 10 " "

Land level Prato, timber Beech, R. Oak,
Poplar, Ash - Upr. Spruce.~~North between Sec. 31 & 32~~~~19.29 a Sugar 22 in. dia.~~~~40.00 set g. sec. post from~~

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

48.23 a Stream 200 lbs. wide course SE

T. H. N., R. 5 E. 2^d Mer. Ind.^a

81.40 Intersect N² E. line 159th S. of port -
 Land 1st 1/2 mile hilly - last 1/2 mile level 2^d rate,
 timber Beech, Oak, Ash, Poplar, Sugar, Upr. Spice &c.

West connected between Sec. 29 & 32

5.69 a Beech 14 in. dia.

40.70 set of sec. port at aver. dist. from which
 a Poplar 24 in. dia. bears N 72 E 10th S. dist. 8
 a Sugar 8 " " " S 76 W 27 " "

47.43 a Hickory 36 " "

81.40 to sec. cor.

West between Sec. 30 & 31

20.00 a R. Oak 24 in. dia.

40.00 set of sec. port from which
 a Beech 20 in. dia. bears S 38 W 12th S. dist. 8
 a Sugar 12 " " " N 4 1/2 E 24 " "

75.50 a Hickory 22 " "

77.11 Intersect W. Boundary 88th S. of port -
 set port at intersection cor. of sec. 30 & 31 from which
 a Beech 10 in. dia. bears S 40 W 4th S. dist. 8
 a R. Oak 28 " " " S 74 E 15 " "
 Land level 2^d rate, timber Beech, Poplar, Oak,
 Upr. Spice &c.

North between Sec. 29 & 30

15.28 an Ash 48 in. dia.

40.00 set of sec. port from which
 a Beech 36 in. dia. bears S 9 1/2 W 10th S. dist. 8
 a Hickory 18 " " " N 26 E 31 " "

53.50 a Beech 18 " "

80.00 set port cor. of sec. 19, 20, 29 & 30 from which
 a Sugar 16 in. dia. bears N 54 E 15th S. dist. 8

T.M.N., R. 5 E. 2. Mer. Ind. a

a Beech 12 in. dia. leans N 82° W 10 Ms. dist. 0
 Land hilly 2^d rate, timber Poplar, Ash, Sugar,
 Beech - Upr. Spice &c.

East on Random between Sec. 20 & 29

17.29 enter Swamp

21.50 leave "

40.00 set temp. of sec. port

62.50 a Stream 200 Ms. wide runs S W

80.74 Entered N & S line 9 Ms. S. of port -

Land hilly 2^d rate, timber Beech, Poplar,
 Oak, Ash; Upr. Spice &c.

West Correlated between Sec. 20 & 29

3.00 a Beech 20 in. dia.

40.37 set g. sec. port at aver. dist. from which

a Sugar 16 in. dia. leans N 39½° W 19 Ms. dist. 8,

a Beech 6 " " " S 19 E 12 " "

65.78 a W. Oak 20 " "

80.74 to sec. cor.

West between Sec. 19 & 30

16.75 a Beech 22 in. dia.

40.00 set g. sec. port from which

a Poplar 18 in. dia. leans S 19½° E 16 Ms. dist. 8

a Beech 16 " " " N 27½° W 30 " "

49.31 a Hickory 20 " "

76.47 Entered W. Boundary 183 Ms. S. of port -

set port at intersection en. of sec. 19 & 30 from which

a Beech 6 in. dia. leans S 1½° W 16 Ms. dist. 8

a Hickory 10 " " " N 15 E 9 " "

Land level 2^d rate, timber Beech, Ash, Oak,

Poplar; Upr. Spice &c.

T. 11 N., R. 5 E. 2. Mer. Ind. a

North between Sec. 19 & 20

37.71 a Sugar 12 in. dia.

40.00 set g. sec. post from which

a Sugar 16 in. dia bears N 87 E 10 lbs. dist. 8,

a Beech 10 " " " S 43 W 15 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

a Beech 16 in. dia bears S 30 E 13 lbs. dist. 8,

a Do 20 " " " N 12 W 32 " "

Land level State, timber Beech, Sugar, Ash,
Walnut; Upr. Spice &c.

East on Random between Sec. 17 & 20

13.21 a Stream 20 lbs. wide course SE

81.17 Intersect N. & S. line 73 lbs. S. of post -

Land level State, timber Beech, Ash, Sugar,
Poplar; Upr. Spice &c.

West Connected between Sec. 17 & 20

17.42 an Ash 20 in. dia.

40.58 set g. sec. post at aver. dist. from which

a Beech 24 in. dia bears S 7 E 20 lbs. dist. 8,

a Hickory 18 " " " N 27 W 26 " "

69.10 a Beech 25 " "

81.17 to sec. cor.

West between Sec. 18 & 19

37.22 a Beech 16 in. dia.

40.00 set g. sec. post from which

a Sugar 3 in. dia bears S 2 W 3 lbs. dist. 8,

a Beech 15 " " " N 58 E 27 " "

55.07 a Walnut 48 " "

65.00 a Stream 40 lbs. wide course SE

75.05 Intersect N. Boundary 310 lbs. S. of post -

T. N. N., R. 5 E. 2. Mer. Ind. a.

set post at intersection cr. of sec. 18 & 19 from which
 a Beech 9 in. dis. bears North 15 W. dist. 8
 a Do 24 " " " S 22 E 36 " "
 Land level 2nd rate, timber Beech, Ark, Sugar,
 Walnut; Upr. Spruce &c.

North between Sec. 17 & 18

24.00 a Lyrus 12 in. dis.

40.00 set g^o sec. post from which
 a Hackberry 15 in. dis. bears S 20 W 23 W. dist. 8
 an Ark 18 " " " N 77 E 18 " "

This post is 25 W. of the river

57.50 a W. Oak 20 in. dis.

80.00 set post cr. of sec. 17 & 18 from which
 a Beech 16 in. dis. bears S 16 W 5 W. dist. 8
 a Do 6 " " " N 56 E 15 " "
 Land hilly 3rd rate, timber Beech, Oak,
 Sugar - Upr. Spruce, W. Oak &c.

East on Random between Sec. 8 & 17

20.50 a Stream 40 W. wide course S

40.00 set temp. g^o sec. post

76.17 a Stream 150 W. wide course S W

81.17 Intersection N. S. line 44 W. N. of post -
 Land 1st 1/2 mile hilly 3rd rate - last 1/2 mile
 level 2nd rate, timber Beech, Oak, Sugar &c.
 Upr. Spruce, Dogwood &c.

West Connected between Sec. 8 & 17

33.22 a R. Elm 12 in. dis.

40.58 set g^o sec. post at aver. dist. from which
 a W. Oak 36 in. dis. bears N 44 W 16 W. dist. 8
 a Beech 20 " " " S 3 E 38 " "

T. M. N., R. 5 E. 2^d. Mer. Ind.^a

52.00 a Beech 14 in. dia.

81.17 to sec. cor.

West between Sect. 7 & 18

17.00 a Hickory 14 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia bears S 54° W 24 lbs. dist. 8

a Hickory 18 " " " N 52° E 2 " "

59.96 a R. Oak 36 " "

75.00 Intersect W. Boundary 258 lbs. S. of post -

set post at intersection cn. of sect. 7 & 18 from which

a Gum 15 in. dia bears N 72½° E 30 lbs. dist. 8

a Beech 12 " " " S 87° W 13 " "

Land level 3^d rate, timbered Beech, Ash, Hickory
Oak; Upr. Spice, Ash &c. September 29. 1819

North between Sect. 7 & 8

23.80 a Beech 18 in. dia.

28.00 a Brook 8 lbs. wide course E

40.00 set g. sec. post from which

a Beech 15 in. dia bears N 35° W 30 lbs. dist. 8

a Do 20 " " " N 70° E 17 " "

62.80 a R. Oak 36 " "

80.00 set post cn. of sect. 5, 6, 7 & 8 from which

an Ash 10 in. dia bears N 72° E 10 lbs. dist. 8

a Beech 5 " " " S 80° W 37 " "

This mile hilly land 3^d rate, timbered Beech, Ash,
Oak &c. Upr. Spice &c.

East on Random between Sect. 5 & 8

17.82 a Stream 40 lbs. wide course S

40.00 set temp. g. sec. post

78.47 Intersect N. S. line 97 lbs. S. of post -

T. 11 N., R. 5 E. 2^d. Mer. Ind.^a

Land level Prater, timber Sugar, Walnut, Beech,
Ash; Upr. Spice

West Connected between Sect. 5 & 8

10.10 an Ash 10 in. dia.

39.23 set of sec. post at aver. dist. from which
a Beech 3 in. dia. bears S 67° W 27th lbs. dist. 18
a Sugar 30 " " " N 67° E 32 " "

68.47 a Do 14 " "

78.47 to sec. cor.

West between Sect. 6 & 7

8.90 a Beech 26 in. dia.

40.00 set of sec. post from which
a Beech 10 in. dia. bears N 30° W 12th lbs. dist. 18
a Hickory 8 " " " S 72° W 10 " "

61.22 a R. Oak 30 " "

76.00 Intersect W. Boundary 517th lbs. S. of post -
set post at intersection cor. of Sect. 6 & 7 from which
a Beech 30 in. dia. bears N 25° E 17th lbs. dist. 18
a Sugar 14 " " " S 35° W 29 " "
Land level Prater, timber Beech, Sugar, Hick-
ory & Upr. Spice

North between Sect. 5 & 6

18.83 a Hickory 18 in. dia.

20.00 a Stream 80th lbs. wide course NE

40.00 set of sec. post from which
an Ash 20 in. dia. bears S 61° E 38th lbs. dist. 18
a Walnut 10 " " " N 87° W 50 " "

76.67 an Ash 30 " "

87.00 Intersect N. Boundary 437th lbs. N. of post -
set post at intersection cor. of Sect. 5 & 6 from which

T. M. N., R. 5 E. T. Mer. Ind.^a

a Beech 10 in. dia. lean N 20 E 7 lbs. dist. 8

a Do 9 " " " S 7 E 2 " "

Land level 2 rods, timber Beech, Hackberry & Sugar; Myr. Spice.

Surveyed in 1819 by

Abraham Lee

Dep. Surveyor

I certify that the foregoing transcript of Field Notes of the survey of Township N. 11 North, in Range N. 5 East of the T. Meridian, in the State of Michigan, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,
Cincinnati, March 4, 1842

W. S. Peck
Sur. Gen.